

TR+ACETATE



▲ S31234

Size : 51-19-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Black Gradient Blue C2



N0.3 Bright Tortoiseshell Gradient Orange C3



N0.4 Bright Transparent Creamy Yellow GreenC4



N0.5 Transparent Green - Creamy Yellow Grey C5

TR+ACETATE



▲ S31235

Size : 48-20-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Black Gradient Light Yellow C2



N0.3 Transparent Deep Brown - Light Brown Grey C3



N0.4 Bright Transparent Grey Green C4



N0.5 Bright Transparent Blue Gradient Grey C5

TR+ACETATE



▲ S31236

Size : 53-18-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Tortoiseshell Gradient Orange C2



N0.3 Bright Transparent Grey Green Grey C3



N0.4 Bright Transparent Grey Grey Blue C4



N0.5 Bright Transparent Blue Gradient Grey C5

TR+ACETATE



▲ S31237

Size : 51-21-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Black Gradient Light Yellow C2



N0.3 Bright Transparent Grey Green C3



N0.4 Transparent Green - Creamy Yellow Grey C4



N0.5 Bright Transparent Tea Blue C5

TR+ACETATE



▲ S31238

Size : 51-18-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Tortoiseshell Gradient Orange C2



N0.3 Transparent Green - Creamy Yellow Grey C3



N0.4 Bright Transparent Deep Blue Gradient Grey C4



N0.5 Bright Transparent Creamy Yellow Green C5

TR+ACETATE



▲ S31239

Size : 53-16-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Black Gradient Light Yellow C2



N0.3 Bright Transparent Grey Green Grey C3



N0.4 Bright Transparent Grey Grey Blue C4



N0.5 Bright Transparent Yellow Green C5


TR+ACETATE



▲ S31240

Size : 48-21-140

TAC Polarized lens



Patterned wire core for refined detailing



Precision-milled copper fittings for lasting durability



N0.1 Bright Black Grey C1



N0.2 Bright Tortoiseshell Grey C2



N0.3 Bright Transparent Grey Green Grey C3



N0.4 Bright Transparent Creamy Yellow Blue C4



N0.5 Bright Transparent Yellow Green C5